



THE  
WORKSHOP'S  
FRIEND 



# LUBRICANTS

**HELLA Drives Forward with  
Precision Lubricants for Ultimate Performance**



**ENGINE  
OIL**



**READY TO USE  
COOLANT**



**TRANSMISSION  
OIL**



**MULTI-PURPOSE  
GREASE**

HELLA Lubricants are designed to meet a wide range of automotive needs, embodying the innovation and quality that HELLA is known for in the automotive industry. Our lubricants are available in various grades and performance levels to cater to diverse vehicle requirements and operating conditions.

### **Key Features of HELLA Lubricants:**

- **Wide Range of Grades:** Whether you need a high-performance fully synthetic oil for a modern engine or a more conventional oil for an older model, HELLA offers a spectrum of grades suitable for different types of vehicles and machinery.
- **Advanced Formulations:** HELLA Lubricants are formulated using cutting-edge technology and high-quality additives to ensure optimal engine performance. Our products provide excellent wear protection, enhanced fuel efficiency, and improved engine cleanliness.
- **Versatile Performance Levels:** With lubricants tailored for different performance levels, HELLA ensures that every engine, regardless of its power or age, receives the best possible protection and efficiency. From full synthetic to synthetic blends and conventional oils, our lubricants meet or exceed the requirements of leading industry standards and vehicle manufacturers.
- **Adaptability to Conditions:** Engineered to perform under a variety of environmental conditions, HELLA Lubricants maintain their efficacy whether operating in extreme cold, heat, or under heavy load conditions.
- **Enhanced Longevity and Reliability:** Regular use of HELLA Lubricants can help extend the life of vehicle engines by reducing wear and tear, preventing sludge buildup, and maintaining engine cleanliness.

### **Commitment to Excellence:**

At HELLA, our lubricants are a reflection of our commitment to innovation, quality, and customer satisfaction. We understand the critical role lubricants play in vehicle maintenance and performance, and we continuously strive to provide products that not only meet but exceed customer expectations.

# RANGE OVERVIEW - PASSENGER CAR

## ENGINE OIL - FULLY SYNTHETIC

### FEATURES & BENEFITS:

- Increased Fuel Economy
- Extended oil drain interval
- Extends engine rebuild life
- Excellent wear protection
- Protects from Rust & corrosion
- Excellent cold flow properties

### SN - 0W20

#### Performance Level:

- API SN, SM, SL, SJ
- Ford WSS-M2C947-A
- ILSAC GF-5, HONDA, TOYOTA, MITSUBISHI
- General Motors dexos1

#### PART NUMBER

#### PACK SIZE

9CO 358 131-101 1 (L) X 12 (Pcs)

9CO 358 131-111 4 (L) X 4 (Pcs)

9CO 358 128-221 5 (L) X 4 (Pcs)

9CO 358 202-361 50 (L) X 1(Pc)

9CO 358 202-391 280 (L) X 1(Pc)

### SN - 0W40

#### Performance Level:

- API SN
- BMW Long Life- 01
- ACEA A3/B4
- Renault RN 0700/0710
- VW 502 00/505 00
- MB 229.3/ 229.5
- Porsche A40

#### PART NUMBER

#### PACK SIZE

9CO 358 131-121 1 (L) X 12 (Pcs)

9CO 358 131-131 4 (L) X 4 (Pcs)

9CO 358 202-251 5 (L) X 4 (Pcs)

9CO 358 202-261 50 (L) X 1(Pc)

9CO 358 202-291 280 (L) X 1(Pc)



## SN - 5W30

### Performance Level:

- API SN
- BMW Long Life- 01
- ACEA A3/B3
- Renault RN 0710/0700
- VW 501 01/505 00/505.001
- Porsche A40
- MB 229.5/229.3/229.1



PART NUMBER	PACK SIZE
9CO 358 128-201	1 (L) X 12 (Pcs)
9CO 358 097-101	4 (L) X 4 (Pcs)
9CO 358 133-041	5 (L) X 4 (Pcs)
9CO 358 128-231	50 (L) X 1(Pc)
9CO 358 128-241	280 (L) X 1(Pc)

## SN - 5W40

### Performance Level:

- API SN
- BMW Long Life- 01
- ACEA A3/B3, A3/B4-16
- Renault RN 0710/0700
- VW 501 01/505 00/505.001/ 502 00/505 00
- Porsche A40
- MB 229.5/229.3/229.1



PART NUMBER	PACK SIZE
9CO 358 097-001	1 (L) X 12 (Pcs)
9CO 358 097-021	4 (L) X 4 (Pcs)
9CO 358 133-051	5 (L) X 4 (Pcs)
9CO 358 097-031	50 (L) X 1(Pc)
9CO 358 097-041	280 (L) X 1(Pc)

# ENGINE OIL - SEMI SYNTHETIC

## FEATURES & BENEFITS:

- Increased Fuel Economy
- Extended oil drain interval
- Extends engine rebuild life
- Excellent wear protection
- Protects from Rust & corrosion
- Excellent cold flow properties

## SL - 10W30

### Performance Level:

- API SL
- MB 229.3
- ACEA A3/B4
- MB 229.1
- VW 505 00

PART NUMBER	PACK SIZE
9CO 358 059-901	1 (L) X 12 (Pcs)
9CO 358 133-141	4 (L) X 4 (Pcs)
9CO 358 133-151	5 (L) X 4 (Pcs)
9CO 358 059-911	280 (L) X 1(Pc)

## SN - 10W40

### Performance Level:

- API SN
- MB 229.3
- ACEA A3/B3, A3/B4
- Renault RN0700/0710
- VW 502 00/505 00
- PSA B71 2300

PART NUMBER	PACK SIZE
9CO 358 128-301	1 (L) X 12 (Pcs)
9CO 358 128-311	4 (L) X 4 (Pcs)
9CO 358 133-061	5 (L) X 4 (Pcs)
9CO 358 128-351	50 (L) X 1(Pcs)
9CO 358 097-091	280 (L) X 1(Pcs)



# ENGINE OIL - MINERAL

## FEATURES & BENEFITS:

- High Engine Durability
- High Fuel Efficiency
- Low Oil Consumption
- Lower Maintenance Cost
- Longer Oil and Engine Life

## BIKE: SL - 20W40

### Performance Level:

- API SL
- JASO MA
- JASO 4T Clutch Performance

PART NUMBER

PACK SIZE

9CO 358 133-171

1 (L) X 12 (Pcs)

9CO 358 133-181

4 (L) X 4 (Pcs)

9CO 358 133-071

5 (L) X 4 (Pcs)

## PASSENGER CAR: SL - 20W50

### Performance Level:

- API SL
- MB 229.1
- ACEA A3/B3
- VW 505 00

PART NUMBER

PACK SIZE

9CO 358 059-741

1 (L) X 12 (Pcs)

9CO 358 059-761

4 (L) X 4 (Pcs)

9CO 358 059-751

5 (L) X 4 (Pcs)



## RANGE OVERVIEW - COMMERCIAL VEHICLE

### ENGINE OIL - SEMI SYNTHETIC

#### FEATURES & BENEFITS:

- High Engine Durability
- High Fuel Efficiency
- Low Oil Consumption
- Lower Maintenance Cost
- Longer Oil and Engine Life



#### CI-4 - 15W40

##### Performance Level:

- API CI-4, CH-4, CG-4, CF-4, CF, SL, SJ
- Detroit Diesel 93K215
- ACEA E7/A3/B4
- CUMMINS CES 20076/7/20078
- CAT ECF-1a, ECF-2/ VOLVO VDS-3
- Deutz DQC -III-05/ MACK EO-N
- MTU OIL Category 2
- Global DHD-1/ Renault VI RLD-2
- MAN M3275/MACK EO-M PLUS
- MB 228.3/MB 229.1
- VOLVO VDS-3
- MACK EO-N
- Renault VI RLD-2

PART NUMBER	PACK SIZE
9CO 358 128-101	1 (L) X 12 (Pcs)
9CO 358 128-381	4 (L) X 4 (Pcs)
9CO 358 128-391	5 (L) X 4 (Pcs)
9CO 358 128-131	20 (L) X 1(Pcs)
9CO 358 128-151	50 (L) X 1(Pcs)
9CO 358 128-161	280 (L) X 1(Pc)

### ENGINE OIL - MINERAL

#### CF-4 - 20W40

##### Performance Level:

- API CF-4
- ACEA E2
- MTU OIL Category-1
- MAN 270/271
- VOLVO VDS
- Deutz DQC-I-05
- MB 228.0/1

PART NUMBER	PACK SIZE
9CO 358 128-401	1 (L) X 12 (Pcs)
9CO 358 128-411	4 (L) X 4 (Pcs)
9CO 358 128-421	280 (L) X 1 (Pc)

## RANGE OVERVIEW - UNIVERSAL

### COOLANT

#### READY TO USE 30%

##### FEATURES & BENEFITS:

- Compatible for all types of vehicles
- Excellent cooling
- High Corrosion Protection
- Anti scale & Anti foam
- Safe for rubber & engine part



PART NUMBER	PACK SIZE	COLOR
8MX 358 003-611	1 (L) X 12 (Pcs)	GREEN
8MX 358 003-641	4 (L) X 4 (Pcs)	GREEN
8MX 358 003-621	1 (L) X 12 (Pcs)	RED
8MX 358 003-412	4 (L) X 4 (Pcs)	RED
8MX 358 003-631	1 (L) X 12 (Pcs)	BLUE
8MX 358 003-442	4 (L) X 4 (Pcs)	BLUE
8MX 358 003-391	1 (L) X 12 (Pcs)	PINK
8MX 358 003-681	1 (L) X 12 (Pcs)	YELLOW

### TRANSMISSION OIL

#### ATF MINERAL TYPE A

##### Performance Level:

- GM DEXRON TYPE A
- MB 236.2

##### FEATURES & BENEFITS:

- Provides good anti-wear protection to critical parts
- Good foam control leads to smooth gear shifting
- Compatible with all common seal materials
- Good oxidation and thermal stability reduces deposit formation
- Extremely high Viscosity Index ensures adequate lubrication in both high operating & low starting temperatures



PART NUMBER	PACK SIZE
9CO 358 128-901	1 (L) X 12 (Pcs)
9CO 358 097-733	5 (L) X 4 (Pcs)

# GEAR OIL

## GL-4

### Performance Level:

- API GL-4
- MIL-L-2105 (U.S Military Specification)

### FEATURES & BENEFITS:

- Easy Starting
- Reduces Fuel Consumption
- Reduces Maintenance Cost
- Extends Engine Life
- Resists Oil Thickening
- Prevent Carbon Built-up in Engines
- Protects from Rust & Corrosion temperatures



PART NUMBER	PACK SIZE	GRADE
9CO 358 133-551	1 (L) X 12 (Pcs)	SAE140
9CO 358 133-561	5 (L) X 4 (Pcs)	SAE140
9CO 358128-851	1 (L) X 12 (Pcs)	SAE 90
9CO 358 128-871	5 (L) X 4 (Pcs)	SAE 90
9CO 358 128-891	208 (L) X 1 (Pc)	SAE 90
9CO 358 128-201	1 (L) X 12 (Pcs)	80W90
9CO 358 128-911	5 (L) X 4 (Pcs)	80W90
9CO 358 128-921	208 (L) X 1 (Pc)	80W90
9CO 358 133-581	1 (L) X 12 (Pcs)	85W140
9CO 358 133-481	5 (L) X 4 (Pcs)	85W140
9CO 358 133-491	208 (L) X 1 (Pc)	85W140

# GREASE

## MULTI PURPOSE GREASE AP3 - LITHIUM

### FEATURES & BENEFITS:

- High Engine Durability
- Better Mileage
- Cleaner Engine Components
- Low Oil Consumption
- Longer Oil Drain Interval

PART NUMBER	PACK SIZE	GRADE	API
9CO 358 128-631	1 (kg) X 12 (Pcs)	NLGI-3	YELLOW
9CO 358 128-621	1 (KG X 12 (Pcs)	NLGI-3	BLUE





Hella Middle East FZE  
Showroom No. S3B2SR01, Jebel Ali Industrial Area 2  
17002 – Dubai  
United Arab Emirates  
Telephone: 00971 (0) 48996000  
Email: [sales.me.hella@forvia.com](mailto:sales.me.hella@forvia.com)  
Website: [www.forviahella-me.com](http://www.forviahella-me.com)